



PATENT  
P57672

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of:

YOUNG-TAEK SUL

Serial No.: 10/550,197

Examiner: LEWIS, RALPH A.

Filed: 21 September 2005

Art Unit: 3732

For: HELICAL IMPLANT

**DECLARATION UNDER 37 C.F.R. §1.132**

**Mail Stop: AF**

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Sir:

1. I am YOUNG-TAEK SUL, a citizen of Republic of Korea, having residence at Department of Biomaterials Sciences, Goteborg University, Box 412, S-405 30 Goteborg, SWEDEN, hereby declares as follows:

2. I received my Baccalaureate degree in Dental Surgery from Seoul National University in 1987 and my Doctor degree in implant science from Gothenburg University in 2002.

I am an associate research professor, Department of biomaterials/Handicap Research, Institute for Clinical Science at Shalgrenska Academy, the Gothenburg University, Sweden. I received my Ph.D. degree in Implant Science from the same University in 2002. Young-Taeg Sul is the author and co-author to some 60 peer-reviewed abstracts and papers in international journals. I have made several oral presentations at national- and international conferences. I am frequently involved in referee tasks for several international scientific journals including *Int J Oral Maxillofac Implants*, *Acta Biomaterials*, *Biomaterials*, *J. Electrochemical Society*, *Electrochemical and Solid-State Letters*, and *J. Biomedical Materials Research*. My early activity as a dentist focused on clinical research of titanium implants but my research interests over the years have focused on the areas of surface engineering, surface characterization, evaluation methods (experimental and clinical). I have invented surface innovation methods (US Patent 7291178, SE 0104213-4) that are applied to commercial products of the three companies to improve clinical performance of the bone implants. The method is about cations incorporation in the valve metals by the anodic process (So far, it has been found that anions are incorporated). Using the cations,  $Mg^{2+}$ ,  $Ca^{2+}$  incorporated metal surfaces that

reinforced significantly rapid and stronger implant integration to bone. I have proposed a new theory of the implant-to-bone integration, biochemical bonding mechanism.

#### Peer-reviewed publications (international)

1. Albrektsson T, Johansson C, Lundgren AK, Sul YT, Gottlow J. Experimental studies on oxidized implants. A histomorphometrical and biomechanical analysis. *Applied Osseointegration Research* 2000;1:21-24.
2. Sul YT, Johansson CB, Jeong Y, Albrektsson T. The electrochemical oxide growth behaviour on titanium in acid and alkaline electrolytes. *Med Eng Phys* 2001;23:329-346.
3. Sul YT, Johansson CB, Jeong Y, Röser K, Wennerberg A, Albrektsson T. Oxidised implants and their influence on the bone response. *J Mater Sci-Mater Med* 2001;12:1025-1031.
4. Sul YT, Johansson CB, Petronis S, Krozer A, Jeong Y, Wennerberg A, Albrektsson T. Characteristics of the surface oxides on turned and electrochemically oxidized pure titanium implants up to dielectric breakdown: The oxide thickness, micropore configurations, surface roughness, crystal structure and chemical composition. *Biomaterials* 2002;23:491-501.
5. Sul YT, Johansson CB, Jeong Y, Wennerberg A, Albrektsson T. Resonance frequency- and removal torque analysis of implants with turned and anodized surface oxides. *Clin Oral Impl Res* 2002;13:252-259.
6. Sul YT, Johansson CB, Röser K, Albrektsson T. Qualitative and quantitative observations of bone tissue reactions to anodised implants. A histologic, enzyme histochemical and histomorphometric analysis. *Biomaterials* 2002;23: 1809-1817.
7. Sul YT, Johansson CB, Kang YM, Jeon DG, Albrektsson T. Bone reactions to oxidized titanium implants with electrochemically anion S and P incorporation. *Clin Implant Dent Relat Res* 2002;4:478-487.
8. Jae-Sin Kwon, Won-Bum Kim, Yoon-Mo Kang, Young-Taeg Sul. Literature review of implant stability and RFA (Resonance Frequency Analysis). *Quintessence Dental Implantology* 2002;4:353-359
9. Goui-Seong Yoon, Jae-Sin Kwon, Dong-Keun Kim, Young-Taeg Sul. Assesment of implant stability in an osseointegration-simulated model. *Quintessence Dental Implantology* 2002;4:360-363.
10. Yoon-Mo Kang, Dong-Gyun Jeon, Goui-Seong Yoon, Young-Taeg Sul. Quantitative measurements of early osseointegration using RFA (Resonance Frequency Analysis). *Quintessence Dental Implantology* 2002;4:364-369.
11. Sul YT, Johansson CB, Albrektsson T. Oxidized titanium screws coated with calcium ions and their performance in rabbit bone. *Int J Oral Maxillofac Implants* 2002;17:625-634.
12. Albrektsson T and Sul YT. Les implants oxidés perspectives d'avenir?. *Réalit és Cliniques* 2003;13:329-337 (in French).
13. Sul YT. The significance of the surface properties of oxidized titanium implant to the bone response: Special emphasis on potential biochemical bonding of oxidized titanium implants. *Biomaterials* 2003;24:3893-3907.
14. Sul YT, Byon E, Jeong Y. Biomechanical Measurements of Calcium-incorporated, Oxidized Implants in Rabbit Bone: Effect of Calcium Surface Chemistry of a Novel Implant. *Clin Implant Dent Relat Res* 2004;6:101-110.
15. Sul YT, Johansson P, Chang BS, Byon E, Jeong Y. Bone response to Mg-incorporated, oxidized implants in rabbit femur: Mechanical interlocking vs Biochemical bonding. *J Appl Biomater Biomech* 2005;3:18-28.
16. Sul YT, Johansson C, Wennerberg A, Cho LR, Jang BS, Albrektsson T. Optimizing surface oxide properties of oxidized implants for reinforcement of osseointegration: Surface chemistry, oxide thickness, porosity, roughness, crystal structure. *Int J Oral Maxillofac Implants* 2005;20:349-359.
17. Sul YT, Johansson C, Byon E, Albrektsson T. The bone response of oxidized bioactive and non-bioactive titanium implants. *Biomaterials* 2005;26:6720-6730.
18. Byon E, Moon S, Cho SB, Jeong CY, Jeong Y, Sul YT. Electrochemical property and apatite formation of metal ion implanted titanium for medical implants. *Surface & Coatings Technology* 2005;200:1018-1021.
19. Sul YT, Jeong Y, Johansson CB, Albrektsson T. Oxidized, bioactive implants are rapidly and strongly

- integrated in bone: part I-experimental implants. Clin Oral Impl Res 2006;17:521-526.
20. Sul YT, Johansson C, Albrektsson T. Which surface properties enhance bone response to implants? Comparison of oxidized Mg implant, TiUnite and Osseotite surfaces. Int J Prosthodont 2006;19:319-329.
  21. Goransson A, Gretzer C, Johansson A, Sul YT, Wennerberg A. Inflammatory response to a titanium surface with potential bioactive properties: an in vitro study. Clin Implant Dent Relat Res. 2006;8:210-217.
  22. Arvidsson A, Franke-Stenport V, Andersson M, Kjellin P, Sul YT, Wennerberg A. Formation of calcium phosphates on titanium implants with four different bioactive surface preparations. An in vitro study. J Mater Sci Mater Med. 2007;18:1945-1954.
  23. Goransson A, Arvidsson A, Currie F, Frank-Stenport V, Kjellin P, Mustafa K, Sul YT, Wennerberg A. An in vitro comparison of possibly bioactive titanium implant surfaces. J Biomed Mater Res A. 2008 Apr 10; [Epub ahead of print].
  24. Sul YT, Kang BS, Johansson B, Um HS, Park CJ, Albrektsson T. The role of surface chemistry and surface topography of osseointegrated titanium implant: strength and rate of osseointegration. J Biomed Mater Res A. 2008 May 9. available online publication.
  25. Stenport V, Kjellin P, Andersson M, Currie F, Sul YT, Wennerberg A, Arvidsson A. Precipitation of calcium phosphate in the presence of albumin on titanium implants with four different possibly bioactive surface preparations. An in vitro study. J Mater Sci Mater Med 2008;19:3497-3505.
  26. Sul YT, Byon E, Wennerberg A. Surface characteristics of electrochemically oxidized implants and acid-etched implants: Surface chemistry, morphology, pore configurations, oxide thickness, crystal structure and roughness. Int J Oral Maxillofac Implants 2008;23: 631-640.

#### Presentations at international conferences (2000-2006)

1. Young-Taeg Sul, Carina Johansson and Tomas Albrektsson. What surface properties determine significant differences of bone response to oxidized Mg-incorporated, TiUnite and Osseotite implants? Regenerate World Congress on Tissue Engineering and Regenerative Medicine, April 25 – 27 and the Society For Biomaterials Annual Meeting , April 26 – 29, Pittsburgh, Pennsylvania, USA, 2006.
2. Young-Taeg Sul, Eungsun Byon, Byung-Soo Kang and Ann Wennerberg. Surface characteristics of surface-engineered titanium implants: Surface chemistry, morphology, pore configuration, oxide thickness, crystal structure and roughness. Regenerate World Congress on Tissue Engineering and Regenerative Medicine, April 25 – 27 and the Society For Biomaterials Annual Meeting , April 26 – 29, Pittsburgh, Pennsylvania, USA, 2006.
3. Young-Taeg Sul, Yongsoo Jeong, Carina Johansson and Tomas Albrektsson. Rate and strength of osseointegration of oxidized and machined, turned titanium implants in rabbit bone for 3 and 6 weeks. Regenerate World Congress on Tissue Engineering and Regenerative Medicine, April 25 – 27 and the Society For Biomaterials Annual Meeting , April 26 – 29, Pittsburgh, Pennsylvania, USA, 2006.
4. Carlsson C, Johansson CB, Holmgren Peterson K and Sul YT. Comparisons of Bone Tissue Formation Around Pure Titanium Implants Using Light- and Fluorescence Microscopically Techniques. European Society for Biomaterials, Nantes, France, Sept. 2006.
5. Carina B Johansson, Young-Taeg Sul and Tomas Albrektsson. Biochemical bonding of biomaterials. Medicinteknikdagarna, 27-28 September, 2005, Stockholm, Sweden.
6. Byon E-SP<sup>P</sup>, Jeong Y, USul Y-TU. SEM observations of bone to oxidized bioactive implant interface. 20<sup>th</sup> Annual Meeting of the Academy of Osseointegration, 10-12 March 2005 FL, USA.
7. Chang B-S and Sul YT. Biochemical bonding of Mg-incorporated, oxidized implants in rabbit femur. 20P<sup>thP</sup> Annual Meeting of the Academy of Osseointegration, 10-12 March 2005 FL, USA.
8. Cho RL and Sul YT. Removal torque measurements of micro-patterned implants in rabbit bone. 20P<sup>thP</sup> Annual Meeting of the Academy of Osseointegration, 10-12 March 2005 FL, USA.
9. Sul YT. Johansson P, Johansson CB, Byon E, Albrektsson T. Removal torque measurements of Mg-incorporated, oxidized implants in rabbit bone. 7P<sup>thP</sup> World Biomaterials Congress, 17-21 May 2004 Sydney, Australia.
10. Sul YT. Johansson CB, Albrektsson T. Biomechanical measurements of Ca-incorporated, oxidized implants in rabbit bone. 7P<sup>thP</sup> World Biomaterials Congress, 17-21 May 2004 Sydney, Australia.
11. Byon E, Sul YT, Jeong Y, Albrektsson T. Pore characteristics and oxide thickness of the surface oxides of the titanium implants electrochemically formed in a mixed electrolyte. 7P<sup>thP</sup> World Biomaterials Congress, 17-21

May 2004 Sydney, Australia.

12. Chang BS, Byun ES, Kim WB, Sul YT, Albrektsson T. Optimizing surface oxide properties of oxidized implants for reinforcement of osseointegration. 13P<sup>thP</sup> European Association for Osseointegration, 16-18 Sept 2004 Paris, France.
13. Um HS, Jeong Y, Sul YT, Johansson. SEM study of bone growth on the pore of the oxidized implant. 13P<sup>thP</sup> European Association for Osseointegration, 16-18 Sept 2004 Paris, France.
14. Sul YT, Cho RL, Johansson C, Albrektsson T. Oxidized, bioactive implants are rapidly and strongly integrated in bone. 13P<sup>thP</sup> European Association for Osseointegration, 16-18 Sept 2004 Paris, France.
15. Sul YT, Johansson CB and Albrektsson T. Biochemical Bonding vs. Mechanical Interlocking in Osseointegration of Oxidized Implants. 18P<sup>thP</sup> Annual Meeting of the Academy of Osseointegration, 2003, Boston, USA.
16. Dong-Gyun Jeon, Yoon-Mo Kang, Dong-Keun Kim, In-Sup Kim, Young-Taeg Sul. A comparison between countersink and non-countersink in the mandibular posterior region: A clinical pilot study. 18P<sup>thP</sup> Annual Meeting of the Academy of Osseointegration, 2003, Boston, USA
17. Won Bum Kim, Kyung Gwan Min, Heung Bin Yim, Yong Geun Park, Young-Taeg Sul. A study of implant stability with variance in the exposed and engaged length of implant fixtures. 18P<sup>thP</sup> Annual Meeting of the Academy of Osseointegration, 2003, Boston, USA.
18. Young-Taeg Sul and Carina Johansson. Determinant surface properties of oxidized implants for reinforced osseointegration. IADR meeting, 2003, Gothenburg, Sweden
19. Wennerberg A, Sul YT, Condeco J, Rosen B-G, Jeon D-G. Electrochemical characteristics and surface properties of oxidized implants (LouiP<sup>TMP</sup>). IADR meeting, 2003, Gothenburg, Sweden.
20. YG Pack and YT Sul. An improved initial stability of the titanium implant in bovine bone by altering surgical technique. IADR meeting, 2003, Gothenburg, Sweden.
21. GC Chae and YT Sul. In vitro stiffness measurements of titanium implants. IADR meeting, 2003, Gothenburg, Sweden.
22. KG MinP<sup>P</sup> and UYT Sul. Effect of the implant fixture length on RFA measurements in cancellous bone. IADR meeting, 2003, Gothenburg, Sweden.
23. Dong-Gyun Jeon, Young-Taeg Sul, Carina B. Johansson, Tomas Albrektsson. Enhanced osseointegration of sulphated titanium implants. 17P<sup>thP</sup> Annual Meeting of the Academy of Osseointegration, March 14-16, 2002, Dallas, Texas, USA.
24. Yun-Mo Kang, Young-Taeg Sul, Carina B. Johansson, Tomas Albrektsson. Enhanced osseointegration of phosphated titanium implants. 17P<sup>thP</sup> Annual Meeting of the Academy of Osseointegration, March 14-16, 2002, Dallas, Texas, USA.
25. Young-Taeg Sul, Carina B. Johansson, Ann Wennerberg, Tomas Albrektsson. Enhanced osseointegration of Ca incorporated titanium implants. 17P<sup>thP</sup> Annual Meeting of the Academy of Osseointegration, March 14-16, 2002, Dallas, Texas, USA.
26. Jae-Sin Kwon, Goui-Seong Yoon, Dong-Keun Kim, Won-Bum Kim, Young-Taeg Sul. Assessment of implant stability in an osseointegration-simulated model. 17P<sup>thP</sup> Annual Meeting of the Academy of Osseointegration, March 14-16, 2002, Dallas, Texas, USA.
27. Young-Taeg Sul, Carina B. Johansson, Dongsoo Kim, Yongsoo Jeong, Tomas Albrektsson. Effects of electrochemical parameters on growth behaviour of titanium oxide in acid and alkaline electrolytes. European Society for Biomaterials conference, London, England, Sept. 12-14, 2001.
28. Young-Taeg Sul, Carina B. Johansson, Ann Wennerberg, Yongsoo Jeong, Tomas Albrektsson. Hard tissue reactions to oxidised implants. A biomechanical evaluation using Resonance Frequency Analysis and Removal torque. European Society for Biomaterials conference, London, England, Sept. 12-14, 2001.
29. Young-Taeg Sul, Carina B. Johansson, Kerstin Röser, Tomas Albrektsson. Hard tissue reactions to oxidised implants. An enzyme histochemical and histomorphometric analysis. European Society for Biomaterials conference, London, England, Sept. 12-14, 2001.
30. Young-Taeg Sul, Carina B. Johansson, Yongsoo Jeong, Kerstin Röser, Ann Wennerberg, Tomas Albrektsson. On the bone tissue response to different surface properties of anodised titanium implants. Six World Biomaterials Congress, Kamuela, Hawaii, USA, May 15-20, 2000.
31. Sul YT, Johansson CB, Wennerberg A, Albrektsson T. Hard tissue reactions to anodised implants. Part 1: A

biomechanical evaluation using Resonance Frequency Analysis and Removal torque. Abstract in Medicinska forskningsrådets (MFR) planeringsgrupp i biomaterialforskning, Göteborg University, Göteborg, Sweden, 2000.

32. **Sul YTU**, Johansson CB, Röser K and Albrektsson T. Hard tissue reactions to anodized implants. Part 2: A histologic, enzyme histochemical and histomorphometric analysis. Abstract in Medicinska forskningsrådets (MFR) planeringsgrupp i biomaterialforskning, Gothenburg University, Gothenburg, Sweden, 2000.


3. I have been practiced in this field for approximately 18 years.

4. I am an inventor of the above-referenced application.

5. I declare and submit evidence establishing that a helical implant formed with 150  $\mu\text{m}$  micro-patterns on thread inclines promotes bone mineralization and maturation.


6. FIGS. 1-3 are histomorphomertic and fluorescence microscopic photos showing animal bone growth in 150  $\mu\text{m}$  micro-patterns constructed as embodiments according to the principles of the invention, at the healing time of 6 weeks.

7. In FIG. 1, the 150  $\mu$ m micro-patterns are formed at the conical 1/3 area of the implant. Fluorescence agents such tetracycline (15mg/kg body weight, Fluka, Buchs, Switzerland), alizarin-complexon (30mg/kg body weight, Fluka, Buchs, Switzerland), calcein blue (30mg/kg body weight, Fluka, Buchs, Switzerland), were injected in the animals at 2, 4 and 6 weeks in order to show the bone growth. FIG. 1 clearly shows the bone growth into the 150  $\mu$ m micro-patterns at the conical 1/3 thread of the screw implant.




**FIG. 1**

8. In FIG. 2, the 150  $\mu$ m microthreads are formed at the middle 1/3 area of the implant. FIG. 2 clearly shows the bone growth into the 150  $\mu$ m micro-patterns at the middle 1/3 thread of the screw implant.



**FIG. 2**

9. In FIG. 3, the 150  $\mu$ m microthreads are formed at the apical 1/3 area of the implant. FIG. 3 clearly shows the bone growth into the 150  $\mu$ m micro-patterns at the apical 1/3 thread of the screw implant, where the bone tissue and microthread was surrounded with bone marrow tissue.



**FIG. 3**

10. As shown in FIGs 1-3, after the helical implant which is formed with micro-patterns with a distance of 150  $\mu$ m, is implanted into the animal bone tissue, the bone grew into the thread.


11. The 150  $\mu$ m micro-pattern provide optimal site for bone ingrowth. Particularly, in a bone system such as a Haversian system in which Haversian canals surround blood vessels, the 150  $\mu$ m micro-pattern may promote bone mineralization and eventually maturation. As a consequence, the strength and speed of an osseointegration, i.e., direct structural and functional connection between the bone and the surface of the implant, will be increased.



I HEREBY DECLARE that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under §1001 of Title 18 U.S. Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

FULL NAME OF FIRST OR SOLE INVENTOR: YOUNG-TAEK SUL

Citizenship: Republic of Korea

Inventor's signature: 

Date: Oct 20, 2008

Residence Address: Department of Biomaterials Sciences, Goteborg University, Box 412, S-405 30 Goteborg, SWEDEN